



albert paper company

Your business resource since 1933

CARTON SEALING TAPE

WWW.ALBERTPAPERCO.COM

209-466-7931

Tape Logic® Industrial Carton Sealing Tape

Tape Logic® 160 & 170

- Acrylic tape retains clarity and will not yellow.
- Consistent smooth release.
- General purpose tape for light to medium weight shipments.
- Acrylic adhesive works best for long term applications where shelf life is important.

Tape Logic® 400, 220 & 291

- Crystal clear tape will not yellow over time.
- Use for medium to heavy weight carton sealing.
- Professional grade, crystal clear acrylic adhesive provides a secure hold.
- Provides a secure seal under heat, cold and humid conditions.

Tape Logic® 350

- Strong adhesive grips well to corrugated cartons.
- Retains clarity over a long period of time.
- Provides strong, secure closures over a large temperature range.



Tape Logic® 160

Stock Number	W x L	Color	Mil	Rolls/Case
T902160*	2" x 110 yds.	Clear	1.6	36
T905160*	3" x 110 yds.	Clear		24

* Also available in a 6 roll case.

Tape Logic® 170

Stock Number	W x L	Color	Mil	Rolls/Case
T901170*	2" x 55 yds.	Clear		36
T901170T*	2" x 55 yds.	Tan		36
T902170*	2" x 110 yds.	Clear		36
T902170T*	2" x 110 yds.	Tan	1.8	36
T905170*	3" x 110 yds.	Clear		24
T905170T*	3" x 110 yds.	Tan		24
T921170	4" x 72 yds.	Clear		18

* Also available in a 6 roll case.

Tape Logic® 400


Stock Number	W x L	Color	Mil	Rolls/Case
T901400*	2" x 55 yds.	Clear		36
T901400T*	2" x 55 yds.	Tan		36
T902400*	2" x 110 yds.	Clear		36
T902400T*	2" x 110 yds.	Tan	2.0	36
T905400*	3" x 110 yds.	Clear		24
T905400T*	3" x 110 yds.	Tan		24
T9216100	4" x 72 yds.	Clear		18

* Also available in a 6 roll case.

Tape Logic® Economy Carton Sealing Tape

Super strong, pressure sensitive, polypropylene tape for economical, repetitive, volume packaging.

- Hot melt adhesive provides an easy unwind and extra elongation for help in sealing irregular shapes.
- Adheres well on over-stuffed, corrugated cartons.
- Excellent shear strength.
- Application temperature range of 32° to 104°F.



Tape Logic® 600

Stock Number	W x L	Color	Mil	Rolls/Case
T901600*	2" x 55 yds.	Clear		36
T901600T*	2" x 55 yds.	Tan		36
T902600*	2" x 110 yds.	Clear		36
T902600T*	2" x 110 yds.	Tan	1.6	36
T905600*	3" x 110 yds.	Clear		24
T905600T*	3" x 110 yds.	Tan		24

* Also available in a 6 roll case.

Tape Logic® 700

Stock Number	W x L	Color	Mil	Rolls/Case
T901700*	2" x 55 yds.	Clear		36
T901700T*	2" x 55 yds.	Tan		36
T902700*	2" x 110 yds.	Clear		36
T902700T*	2" x 110 yds.	Tan	1.9	36
T905700*	3" x 110 yds.	Clear		24

* Also available in a 6 roll case.

Tape Logic® Colored Carton Sealing Tape

Color code shipments or products!

- For example: blue for "UPS 2nd Day Air" or red for "HOT" shipments.
- Pressure sensitive polypropylene tape with acrylic adhesive.
- Choose from seven different colors.



3M™ Hot Melt Carton Sealing Tape

3M™ 369

- Made for light and medium-duty applications with great holding power to fibreboard.
- Good initial adhesion above 40° F.

3M™ 371

- Perfect for box sealing and splicing with reliable performance in a range of environments.
- Features a conformable backing and consistent adhesive system for repetitive volume packaging.

3M™ 372

- Ideal for demanding packaging applications.
- Features hot melt rubber resin adhesive that adheres instantly to most surfaces including cartons containing various levels of recycled content.

3M™ 373

- Contains high edge tear and split resistance.
- Features a heavy-duty conformable backing and the most consistent adhesive system available.

3M™ 375

- Known as the "problem solver" for difficult packaging applications.
- Scotchpro™ film backing is durable, secure and water resistant.

3M™ 355

- Strongest, most consistent adhesive system available that ensures a reliable closure every time.
- Polyester film backing is water resistant.

3M™ 369 – 19 lb. Tensile Strength

Stock Number	W x L	Color	Mil	Rolls/Case
T901369*	2" x 55 yds.	Clear		36
T901369T*	2" x 55 yds.	Tan		36
T902369*	2" x 110 yds.	Clear		36
T902369T*	2" x 110 yds.	Tan	1.6	36
T905369*	3" x 110 yds.	Clear		24
T905369T*	3" x 110 yds.	Tan		24

* Also available in a 6 roll case.

3M™ 371 – 22 lb. Tensile Strength

Stock Number	W x L	Color	Mil	Rolls/Case
T901371*	2" x 55 yds.	Clear		36
T901371T*	2" x 55 yds.	Tan		36
T902371*	2" x 110 yds.	Clear		36
T902371T*	2" x 110 yds.	Tan	1.9	36
T905371*	3" x 110 yds.	Clear		24
T905371T*	3" x 110 yds.	Tan		24

* Also available in a 6 roll case.

3M™ Acrylic Carton Sealing Tape

3M™ 302

- Tape adheres to a variety of surfaces.
- Edge tear and split resistant.

3M™ 305

- Ideal for cold and damp applications.
- Designed for utility applications on lightweight boxes.
- Tape construction provides good closure.

3M™ 311

- Good aging in sunlight or fluorescent lighting.
- Designed for utility type applications on light to medium-weight boxes.

3M™ 313

- Adheres well to cartons containing recycled content.
- Features smooth dispensing for easy handling.
- Ideal for wide temperature fluctuating environments.

3M™ 302 – 18 lb. Tensile Strength

Stock Number	W x L	Color	Mil	Rolls/Case
T902302*	2" x 110 yds.	Clear		36
T905302*	3" x 110 yds.	Clear	1.6	24

* Also available in a 6 roll case.

3M™ 305 – 21 lb. Tensile Strength

Stock Number	W x L	Color	Mil	Rolls/Case
T902305*	2" x 110 yds.	Clear		36
T905305*	3" x 110 yds.	Clear	1.8	24

* Also available in a 6 roll case.



3M™ 372 – 26 lb. Tensile Strength

Stock Number	W x L	Color	Mil	Rolls/Case
T901372*	2" x 55 yds.	Clear		36
T901372T*	2" x 55 yds.	Tan		36
T902372*	2" x 110 yds.	Clear	2.2	36
T905372*	3" x 55 yds.	Clear		24
T9055372*	3" x 110 yds.	Clear		24

* Also available in a 6 roll case.

3M™ 373 – 30 lb. Tensile Strength

Stock Number	W x L	Color	Mil	Rolls/Case
T901373*	2" x 55 yds.	Clear		36
T901373T*	2" x 55 yds.	Tan		36
T902373*	2" x 110 yds.	Clear		36
T902373T*	2" x 110 yds.	Tan	2.5	36
T905373*	3" x 55 yds.	Clear		24
T9055373*	3" x 110 yds.	Clear		24

* Also available in a 6 roll case.

3M™ 375 – 35 lb. Tensile Strength

Stock Number	W x L	Color	Mil	Rolls/Case
T901375*	2" x 55 yds.	Clear		36
T901375T*	2" x 55 yds.	Tan		36
T905375*	3" x 55 yds.	Clear	3.1	24
T9055375*	3" x 55 yds.	Tan		24

* Also available in a 6 roll case.

3M™ 355 – 67 lb. Tensile Strength

Stock Number	W x L	Color	Mil	Rolls/Case
T901355*	2" x 55 yds.	Clear		36
T905355*	3" x 55 yds.	Clear	3.5	24

* Also available in a 6 roll case.



3M™ 311 – 25 lb. Tensile Strength

Stock Number	W x L	Color	Mil	Rolls/Case
T902311*	2" x 110 yds.	Clear		36
T905311*	3" x 110 yds.	Clear	2.05	24

* Also available in a 6 roll case.

3M™ 313 – 35 lb. Tensile Strength

Stock Number	W x L	Color	Mil	Rolls/Case
T902313*	2" x 55 yds.	Clear		36
T906313*	2" x 110 yds.	Clear		36
T905313*	3" x 55 yds.	Clear	2.55	24
T907313*	3" x 110 yds.	Clear		24

* Also available in a 6 roll case.



Tape Logic® Colored Carton Sealing Tape

Stock Number	W x L	Available Colors	Mil	Rolls/Case
T901222†	2" x 55 yds.	Green (G), Red (R), Orange (O), Yellow (Y), Blue (B), White (W), Black (BK)		36
T902222†	2" x 110 yds.	Green (G), Red (R), Orange (O), Yellow (Y), Blue (B), White (W), Black (BK)	2.2	36
T905222†	3" x 55 yds.	Green (G), Red (R), Orange (O), Yellow (Y), Blue (B), White (W), Black (BK)		24

* Also available in a 18 roll case. † Also available in a 6 roll case.

CALL OR EMAIL US FOR MORE INFORMATION!

CUSTOMERSERVICE@ALBERTPAPERCO.COM



albert paper company

Your business resource since 1933

MASKING TAPE

WWW.ALBERTPAPERCO.COM

209-466-7931

Tape Logic® Masking Tape

- 2200 General Purpose Masking Tape**
- Designed for light masking, splicing, bundling and holding applications.
 - Use for general purpose packaging and basic every day household or office needs.

- 2400 Industrial Masking Tape**
- Moisture and oil resistant backing and adhesive.
 - For medium masking and packaging applications.

- 2600 Heavy-Duty Masking Tape**
- Professional/Contractors grade for painting and construction.
 - Resistant to moisture and solvents.

Tape Logic® 2200

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T9332200*	1/2" x 60 yds.			72
T9342200*	3/4" x 60 yds.			48
T9352200*	1" x 60 yds.	19 lbs.	4.9	36
T9372200*	2" x 60 yds.			24
T9382200*	3" x 60 yds.			16

* Also available in a 12 roll case.

Tape Logic® 2400

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T9332400*	1/2" x 60 yds.			72
T9342400*	3/4" x 60 yds.			48
T9352400*	1" x 60 yds.	20 lbs.	5.6	36
T9362400*	1 1/2" x 60 yds.			24
T9372400*	2" x 60 yds.			24
T9382400*	3" x 60 yds.			16

* Also available in a 12 roll case.

Tape Logic® Colored Masking Tape

Use to color code inventory and shipments.

- Resistant to moisture and oil.
- Choose from Black, Orange, White, Light Blue, Light Green, Red, Dark Green or Yellow.



Tape Logic® Colored Masking Tape

Stock Number	W x L	Available Colors	Mil	Rolls Per Case
T931003*	1/4" x 60 yds.			144
T934003*	3/4" x 60 yds.	Black (B), Orange (D), White (W), Light Blue (H), Light Green (A), Red (R), Dark Green (E) or Yellow (Y).	4.9	48
T935003*	1" x 60 yds.			36
T937003*	2" x 60 yds.			24

* Also available in a 12 roll case.

Painter's Masking Tape

- Tape Logic® 3000 Blue Masking Tape**
- Works well with all types of paints and stains.

- Tape Logic® 3200 Green Masking Tape**
- Stops paint from bleeding and leaves razor sharp paint lines for a perfect finish.
 - For trim, cured painted walls, woodwork, metal, glass and vinyl.

3M™ 2090 Long Mask™ Masking Tape for Outdoor Use

- Ideal for long term masking projects with easy tear and controlled unwind.
- Removes cleanly and easily for up to 14 days of UV exposure without leaving a residue.

3M™ 2080 Masking Tape for Delicate Surfaces

- Gentle adhesion and low holding strength allow for clean removal for up to 60 days.
- Perfect for freshly painted walls, vinyl-coated wallpaper, primed wallboard and faux painting.

Tape Logic® 3000 – Blue Masking Tape

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T9333000*	1/2" x 60 yds.			72
T9343000*	3/4" x 60 yds.			48
T9353000*	1" x 60 yds.	27 lbs.	5.2	36
T9363000*	1 1/2" x 60 yds.			24
T9373000*	2" x 60 yds.			24
T9383000*	3" x 60 yds.			16

* Also available in a 12 roll case.

Tape Logic® 3200 – Green Masking Tape

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T9353200*	1" x 60 yds.	25 lbs.	5.0	36
T9373200*	2" x 60 yds.			24

* Also available in a 12 roll case.



Tape Logic® 2600

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T9332600*	1/2" x 60 yds.			72
T9342600*	3/4" x 60 yds.			48
T9352600*	1" x 60 yds.	21 lbs.	6.1	36
T9372600*	2" x 60 yds.			24
T9382600*	3" x 60 yds.			16

* Also available in a 12 roll case.

3M™ Masking Tape

200 Tartan™ – Utility Paper Tape

- Used for holding, bundling, sealing or for non-critical masking applications.

2214 Highland™ – General Purpose

- Tape will maintain its integrity when formed around a corner.

2307 Highland™ – General Purpose

- Perfect for holding, bundling, sealing or general paint masking.

234 Scotch® – Heavy-Duty General Purpose

- Used in medium temperature paint baking applications.

232 Scotch® – High Performance

- An excellent professional painter's masking tape.

231 Scotch® – Premium High Performance

- Crepe masking tape designed specifically for the professional painter.

3M™ 200 – Utility Paper Tape

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T933200*	1/2" x 60 yds.			72
T934200*	3/4" x 60 yds.			48
T935200*	1" x 60 yds.			36
T936200*	1 1/2" x 60 yds.	19 lbs.	4.4	24
T937200*	2" x 60 yds.			24
T938200	3" x 60 yds.			12
T939200	4" x 60 yds.			8

* Also available in a 12 roll case.

3M™ 2214 – General Purpose

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T9332214*	1/2" x 60 yds.			72
T9342214*	3/4" x 60 yds.			48
T9352214*	1" x 60 yds.	20 lbs.	5.2	36
T9362214*	1 1/2" x 60 yds.			24
T9372214*	2" x 60 yds.			24
T9382214	3" x 60 yds.			12

* Also available in a 12 roll case.

3M™ 2307 – General Purpose

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T9332307*	1/2" x 60 yds.			72
T9342307*	3/4" x 60 yds.			48
T9352307*	1" x 60 yds.	23 lbs.	5.2	36
T9362307*	1 1/2" x 60 yds.			24
T9372307*	2" x 60 yds.			24
T9382307	3" x 60 yds.			12

* Also available in a 12 roll case.

3M™ Masking Made Simple

- 3M™ 101+ Value**
- Indoor tape for light-duty, basic jobs.

- 3M™ 201+ General Use**
- For light to medium duty indoor use.

- 3M™ 301+ Performance**
- The dependable choice for industrial performance.

- 3M™ 401+ High Performance**
- Superior adhesion and conformability to many surfaces.

- 3M™ 501+ Specialty High Temperature**
- Exceptionally conformable to irregular surfaces.

3M™ 101+ – Value

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T933101*	1/2" x 60 yds.			72
T934101*	3/4" x 60 yds.			48
T935101*	1" x 60 yds.			36
T936101*	1 1/2" x 60 yds.	22 lbs.	5.1	24
T937101*	2" x 60 yds.			24
T938101	3" x 60 yds.			12
T939101	4" x 60 yds.			8

* Also available in a 12 roll case.

3M™ 201+ – General Use


Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T933201*	1/2" x 60 yds.			72
T934201*	3/4" x 60 yds.			48
T935201*	1" x 60 yds.	19 lbs.	4.4	36
T936201*	1 1/2" x 60 yds.			24
T937201*	2" x 60 yds.			24
T938201	3" x 60 yds.			12

* Also available in a 12 roll case.

3M™ 301+ – Performance

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T933301*	1/2" x 60 yds.			72
T934301*	3/4" x 60 yds.			48
T935301*	1" x 60 yds.	22 lbs.	6.3	36
T936301*	1 1/2" x 60 yds.			24
T937301*	2" x 60 yds.			24
T938301	3" x 60 yds.			12

* Also available in a 12 roll case.



3M™ 234 – Heavy-Duty General Purpose

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T933234*	1/2" x 60 yds.			72
T934234*	3/4" x 60 yds.			48
T935234*	1" x 60 yds.			36
T936234*	1 1/2" x 60 yds.	27 lbs.	6.0	24
T937234*	2" x 60 yds.			24
T938234	3" x 60 yds.			12

* Also available in a 12 roll case.

3M™ 232 – High Performance

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T931232*	1/4" x 60 yds.			144
T933232*	1/2" x 60 yds.			72
T934232*	3/4" x 60 yds.			48
T935232*	1" x 60 yds.	27 lbs.	6.3	36
T936232*	1 1/2" x 60 yds.			24
T937232*	2" x 60 yds.			24
T938232	3" x 60 yds.			12

* Also available in a 12 roll case.

3M™ 231 – Premium High Performance

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T933231*	1/2" x 60 yds.			72
T934231*	3/4" x 60 yds.			48
T935231*	1" x 60 yds.	28 lbs.	7.6	36
T937231*	2" x 60 yds.			24
T938231	3" x 60 yds.			12

* Also available in a 12 roll case.



3M™ 401+ – High Performance

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T933401*	1/2" x 60 yds.			48
T934401*	3/4" x 60 yds.			48
T935401*	1" x 60 yds.	25 lbs.	6.7	24
T936401*	1 1/2" x 60 yds.			16
T937401*	2" x 60 yds.			12
T938401	3" x 60 yds.			8

* Also available in a 12 roll case.

3M™ 501+ – Specialty High Temperature

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T933501*	1/2" x 60 yds.			72
T934501*	3/4" x 60 yds.			48
T935501*	1" x 60 yds.	26 lbs.	7.3	36
T936501*	1 1/2" x 60 yds.			24
T937501*	2" x 60 yds.			24
T938501	3" x 60 yds.			12

* Also available in a 12 roll case.

**CALL OR EMAIL US FOR MORE INFORMATION!
CUSTOMERSERVICE@ALBERTPAPERCO.COM**



albert paper company

Your business resource since 1933

STRAPPING TAPE

WWW.ALBERTPAPERCO.COM

209-466-7931

Tape Logic® Strapping Tape

Glass filaments reinforce tape to give super strength. Provides superior holding power over twine or glue closures. Use to bundle odd-shaped materials, unitize and seal packages.

- 1300 Strapping Tape**
 - Ideal for light-duty applications.
- 1400 Strapping Tape**
 - Economical alternative to steel and poly strapping.
- 1500 Strapping Tape**
 - Use for palletizing, unitizing and bundling heavier products.
- 1550 Strapping Tape**
 - Very high tensile strength for heavy-duty, industrial applications.



Tape Logic® 1300

Stock Number	W x L	Tensile Strength	Rolls Per Case
T9121300*	3/8" x 60 yds.	100 lbs.	96
T9131300*	1/2" x 60 yds.		72
T9141300*	3/4" x 60 yds.		48
T9151300*	1" x 60 yds.		36
T9171300*	2" x 60 yds.		24
T9181300	3" x 60 yds.		12

* Also available in a 12 roll case.

Tape Logic® 1400

Stock Number	W x L	Tensile Strength	Rolls Per Case
T9121400*	3/8" x 60 yds.	156 lbs.	96
T9131400*	1/2" x 60 yds.		72
T9141400*	3/4" x 60 yds.		48
T9151400*	1" x 60 yds.		36
T9171400*	2" x 60 yds.		24

* Also available in a 12 roll case.

Tape Logic® 1500

Stock Number	W x L	Tensile Strength	Rolls Per Case
T9131500*	1/2" x 60 yds.	275 lbs.	72
T9141500*	3/4" x 60 yds.		48
T9151500*	1" x 60 yds.		36
T9171500*	2" x 60 yds.		24

* Also available in a 12 roll case.

Tape Logic® 1550

Stock Number	W x L	Tensile Strength	Rolls Per Case
T9131550*	1/2" x 60 yds.	320 lbs.	72
T9141550*	3/4" x 60 yds.		48
T9151550*	1" x 60 yds.		36

* Also available in a 12 roll case.

Tape Logic® Tensitized Polypropylene Strapping Tape

This tape utilizes mono-oriented tensitized polypropylene for light-duty strapping, palletizing and bundling.

- Great for bundling, securing pallets and general purpose packaging.
- Temperature resistant to 160° F.
- Adhesion to steel 60 ounces per inch.
- Elongation at break 34%.



Tape Logic® 1550


Stock Number	W x L	Tensile Strength	Rolls Per Case
T975197*	1/2" x 60 yds.	90 lbs.	144
T976197*	3/4" x 60 yds.		96
T977197*	1" x 60 yds.		72

* Also available in a 12 roll case.

Tape Logic® Strapping Tape Dispensers

Features a hand brake that controls tape tension.

- Smoothly dispenses and cuts strapping tape.
- Available in plastic or metal construction.



Plastic Strapping Tape Dispensers

Stock Number	Fits Tape Widths	Material
TDPL1	Up to 1"	Plastic
TDPL2	Up to 2"	Plastic

Metal Strapping Tape Dispensers

Stock Number	Fits Tape Widths	Material
TDML1	Up to 1"	Metal
TDML2	Up to 2"	Metal

3M™ Strapping Tape

8932 Tartan™ General Purpose Strapping Tape

- For light-duty applications.

8934 Tartan™ Utility Strapping Tape

- Holds with minimal rub-down.

863 Scotch® Reinforced Strapping Tape

- General purpose tape with reliable strength.

8959 Scotch® Bi-Directional Strapping Tape

- Reinforced along its length for very high tensile strength.

897 Scotch® Medium Grade Strapping Tape

- Good holding power with minimal use of tape.

893 Scotch® General Purpose Strapping Tape

- Tough Scotchpro™ film backing protects filaments and adhesive for longer performance.

898 Scotch® High Performance Strapping Tape

- Reinforcing along its length with glass filaments gives this tape high tensile strength.



3M™ 8932 General Purpose

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T9128932*	3/8" x 60 yds.	95 lbs.	3.75	96
T9138932*	1/2" x 60 yds.			72
T9148932*	3/4" x 60 yds.			48
T9158932*	1" x 60 yds.			36
T9178932*	2" x 60 yds.			24

* Also available in a 12 roll case.

3M™ 8934 Utility

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T9128934*	3/8" x 60 yds.	100 lbs.	4.0	96
T9138934*	1/2" x 60 yds.			72
T9148934*	3/4" x 60 yds.			48
T9158934*	1" x 60 yds.			36
T9178934*	2" x 60 yds.			24
T9188934†	3" x 60 yds.			12

* Also available in a 12 roll case. † Also available in a 6 roll case.

3M™ 863 Reinforced

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T913863*	1/2" x 60 yds.	155 lbs.	5.0	72
T914863*	3/4" x 60 yds.			48
T915863*	1" x 60 yds.			36
T917863†	2" x 60 yds.			24

* Also available in a 12 roll case. † Also available in a 6 roll case.

3M™ 8959 Bi-Directional

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T9148959*	3/4" x 60 yds.	150 lbs.	5.7	48
T9158959*	1" x 60 yds.			36
T9178959†	2" x 60 yds.			18

* Also available in a 6 roll case. † Also available in a 3 roll case.

3M™ 897 Medium Grade

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T912897*	3/8" x 60 yds.	170 lbs.	6.0	96
T913897*	1/2" x 60 yds.			72
T914897*	3/4" x 60 yds.			48
T915897*	1" x 60 yds.			36
T917897†	2" x 60 yds.			24

* Also available in a 12 roll case. † Also available in a 6 roll case.

3M™ 893 General Purpose

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T912893*	3/8" x 60 yds.	300 lbs.	6.0	96
T913893*	1/2" x 60 yds.			72
T914893*	3/4" x 60 yds.			48
T915893†	1" x 60 yds.			36
T917893†	2" x 60 yds.			24

* Also available in a 12 roll case. † Also available in a 6 roll case.

3M™ 898 High Performance

Stock Number	W x L	Tensile Strength	Mil	Rolls Per Case
T911898*	1/4" x 60 yds.	380 lbs.	6.6	144
T912898*	3/8" x 60 yds.			96
T913898*	1/2" x 60 yds.			72
T914898†	3/4" x 60 yds.			48
T915898†	1" x 60 yds.			36
T917898*	2" x 60 yds.			24
T918898*	3" x 60 yds.			12

* Also available in a 12 roll case. † Also available in a 6 roll case. * Also available in a 3 roll case.

3M™ Strapping Tape Dispensers

3M™ H-133 Strapping Tape Dispenser

- Cuts and buffs tape with one hand motion.
- Designed to easily apply L-clip and C-clip closures.

3M™ H-12 Strapping Tape Dispenser

- Features a hand brake for increased tension.

3M™ HB901 Strapping Tape Dispenser

- Special cutting edge cuts through glass yarn filaments.



3M™ Strapping Tape Dispensers

Stock Number	3M™ Part Number	Type	Fits Tape Widths	Material
TDPL3M34	H-133	Deluxe	Up to 3/4"	Plastic
TDPL3M10	H-12	Standard	Up to 1"	Plastic
TD3MHB901	HB901	Tartan™	Up to 1"	Plastic

CALL OR EMAIL US FOR MORE INFORMATION!

CUSTOMERSERVICE@ALBERTPAPERCO.COM